
Product: Texoflex Combi



Material:

Texoflex Combi is a flexible duct distinguished by its hardness, high flexibility and extremely strong multi-layer walls and it is designed for various application fields. The duct is made of multi-layer polyester laminated aluminum and PVC foil reinforced with high tension steel wire. Due to its exceptional flexibility can be easy installed to round and oval connectors.

Application:

Texoflex Combi is made for low and medium pressure ventilation systems.

Product construction:

The product Flexible duct „Texoflex Black Combi C11B“ include the following

- Multilayer of Aluminium, Polyester and PVC Embossed Black
- Steel wire

Properties:

Good flexibility
Good compression


Specification:

Product code: given in the table bellow,
Diameters: from 82 mm to 508 mm,
Standard length: 10 m.

Classification:

- The **Texoflex Combi** fulfils all the requirements and are classified as specified within **EN 13180: Ventilation for buildings – Ductwork – Dimensions and mechanical requirements for flexible ducts**.

Pressure loss:



PRODUCT TECHNICAL SPECIFICATION

Table: Ordering information

Product code	Product name	Dia.	L	Pallet e dim.	Pcs per box	Box per pall	EAN code	Product code Tower A.
		mm	m	cm				
C11BM082/1	128Pcs Texoflex Black Combi C11B dia. 082 mm x 1 m	82	1	80x120	128	24	8605065436102	PCF-COMBI080-1M
C11BM082/3	48Pcs Texoflex Black Combi C11B dia. 082 mm x 3 m	82	3	80x120	48	24	8605065436195	PCF-COMBI080-3M
C11BM082/6	24Pcs Texoflex Black Combi C11B dia. 082 mm x 6 m	82	6	80x120	24	24	8605065436300	PCF-COMBI080-6M
C11BM102/1	96Pcs Texoflex Black Combi C11B dia. 102 mm x 1 m	102	1	80x120	96	24	8605065433491	PCF-COMBI100-1M
C11BM102/3	48Pcs Texoflex Black Combi C11B dia. 102 mm x 3 m	102	3	80x120	48	24	8605065433590	PCF-COMBI100-3M
C11BM102/6	24Pcs Texoflex Black Combi C11B dia. 102 mm x 6 m	102	6	80x120	24	24	8605065436317	PCF-COMBI100-6M
C11BM112/1	81Pcs Texoflex Black Combi C11B dia. 112 mm x 1 m	112	1	80x120	81	24	8605065436119	
C11BM112/3	36Pcs Texoflex Black Combi C11B dia. 112 mm x 3 m	112	3	80x120	36	24	8605065436201	
C11BM112/6	18Pcs Texoflex Black Combi C11B dia. 112 mm x 6 m	112	6	80x120	18	24	8605065436324	
C11BM120/1	81pcs Texoflex Black Combi C11B dia. 120 mm x 1 m	120	1	80x120	81	24	8605065436126	
C11BM120/3	36Pcs Texoflex Black Combi C11B dia. 120 mm x 3 m	120	3	80x120	36	24	8605065436218	
C11BM120/6	18Pcs Texoflex Black Combi C11B dia. 120 mm x 6 m	120	6	80x120	18	24	8605065436331	
C11BM127/1	72Pcs Texoflex Black Combi C11B dia. 127 mm x 1 m	127	1	80x120	72	24	8605065433606	PCF-COMBI125-1M
C11BM127/3	36Pcs Texoflex Black Combi C11B dia. 127 mm x 3 m	127	3	80x120	36	24	8605065436225	PCF-COMBI125-3M
C11BM127/6	18Pcs Texoflex Black Combi C11B dia. 127 mm x 6 m	127	6	80x120	18	24	8605065436348	PCF-COMBI125-6M
C11BM133/1	54Pcs Texoflex Black Combi C11B dia. 133 mm x 1 m	133	1	80x120	54	24	8605065436133	
C11BM133/3	24Pcs Texoflex Black Combi C11B dia. 133 mm x 3 m	133	3	80x120	24	24	8605065436232	
C11BM133/6	12Pcs Texoflex Black Combi C11B dia. 133 mm x 6 m	133	6	80x120	12	24	8605065436355	
C11BM140/1	54Pcs Texoflex Black Combi C11B dia. 140 mm x 1 m	140	1	80x120	54	24	8605065436140	
C11BM140/3	24Pcs Texoflex Black Combi C11B dia. 140 mm x 3 m	140	3	80x120	24	24	8605065436249	
C11BM140/6	12Pcs Texoflex Black Combi C11B dia. 140 mm x 6 m	140	6	80x120	12	24	8605065436362	
C11BM152/1	48pcs Texoflex Black Combi C11B dia. 152 mm x 1 m	152	1	80x120	48	24	8605065436157	PCF-COMBI150-1M
C11BM152/3	24Pcs Texoflex Black Combi C11B dia. 152 mm x 3 m	152	3	80x120	24	24	8605065436256	PCF-COMBI150-3M
C11BM152/6	12Pcs Texoflex Black Combi C11B dia. 152 mm x 6 m	152	6	80x120	12	24	8605065436379	PCF-COMBI150-6M
C11BM160/1	48Pcs Texoflex Black Combi C11B dia. 160 mm x 1 m	160	1	80x120	48	24	8605065436164	PCF-COMBI160-1M
C11BM160/3	24Pcs Texoflex Black Combi C11B dia. 160 mm x 3 m	160	3	80x120	24	24	8605065436263	PCF-COMBI160-3M
C11BM160/6	12Pcs Texoflex Black Combi C11B dia. 160 mm x 6 m	160	6	80x120	12	24	8605065436386	PCF-COMBI160-6M
C11BM165/1	36pcs Texoflex Black Combi C11B dia. 165 mm x 1 m	165	1	80x120	36	24	8605065436171	
C11BM165/3	16Pcs Texoflex Black Combi C11B dia. 165 mm x 3 m	165	3	80x120	16	24	8605065436270	
C11BM165/6	8Pcs Texoflex Black Combi C11B dia. 165 mm x 6 m	165	6	80x120	8	24	8605065436393	
C11BM185/1	32Pcs Texoflex Black Combi C11B dia. 185 mm x 1 m	185	1	80x120	32	24	8605065436188	PCF-COMBI185-1M
C11BM185/3	16Pcs Texoflex Black Combi C11B dia. 185 mm x 3 m	185	3	80x120	16	24	8605065436287	PCF-COMBI185-3M
C11BM185/6	6Pcs Texoflex Black Combi C11B dia. 185 mm x 6 m	185	6	80x120	6	24	8605065436409	PCF-COMBI185-6M
C11BM203/1	24Pcs Texoflex Black Combi C11B dia. 203 mm x 1 m	203	1	80x120	24	24	8605065433613	PCF-COMBI200-1M
C11BM203/3	12Pcs Texoflex Black Combi C11B dia. 203 mm x 3 m	203	3	80x120	12	24	8605065436294	PCF-COMBI200-3M
C11BM203/6	4Pcs Texoflex Black Combi C11B dia. 203 mm x 6 m	203	6	80x120	4	24	8605065436416	PCF-COMBI200-6M

PRODUCT TECHNICAL SPECIFICATION

Packaging information:

Individual packaging:

Polynet Bag


Label in bag: White color, 35x70 mm



Multi packaging:

Box: 400x400x600 mm

L = the position of the label in the upper left corner, straight to the edges



Label on box: White color, 70x90mm



Maximum pallet height: 2,80 m